


DX2051



Display multifungsi untuk memantau sinyal standar analog

DISPLAY/AX460/DC



Karakteristik produk		
Dimensi	[mm]	48 x 112 x 116
Aplikasi		
Aplikasi	menampilkan dan memantau sinyal analog; misalnya sensor tekanan, sensor suhu atau sensor aliran	
Data kelistrikan		
Tegangan pengoperasian	[V]	18...30 DC
Konsumsi arus	[mA]	100
Input/output		
Jumlah input dan output	Jumlah input analog: 2	
Input		
Jumlah input analog	2; (Spannungs- oder Stromeingang)	
Input analog (arus)	[mA]	0...20
Input analog (tegangan)	[V]	-10...10
Resolusi input analog	16 bit	
Input analog presisi	[%]	0,1
Kondisi pengoperasian		
Suhu sekitar	[°C]	-20...60
Suhu penyimpanan	[°C]	-25...70
Perlindungan	IP 65	
Terminal peringkat perlindungan	IP 20	
Pengujian/persetujuan		
EME	EN 61000-6-2	
	EN 61000-6-3	
	EN 61000-6-4	
Data teknis		
Berat	[g]	300.5
Tipe pemasangan	potongan panel: 91 x 43 mm	

DX2051



Display multifungsi untuk memantau sinyal standar analog

DISPLAY/AX460/DC	
Dimensi	[mm] 48 x 112 x 116
Material	Noryl UL94-V-0


Elemen display/pengoperasian

Display	display berwarna	display LCD grafis penuh, layar sentuh
---------	------------------	--

Koneksi listrik

terminal sekrup:

Koneksi



NC tidak digunakan