OE0007

Through-beam sensor receiver


OEE-V/6M



Article no longer available - archive entry

Alternative articles: OE0005

When selecting an alternative article and accessories please note that technical data may differ!



Due du et cheve stavistica		
Product characteristics		
Type of light		Infrared light
Housing		Threaded type
Application		
Function principle		Through-beam sensor
Electrical data		
Connection at circuit ampli	ifier	yes
Switching amplifiers		Connection at circuit amplifier OV5012, OV0010
Protection class		III
Type of light		Infrared light
Wave length	[nm]	950
Outputs		
Short-circuit protection		no
Overload protection		no
Monitoring range		
Transmitter / receiver		receiver
Range	[m]	< 1
Operating conditions		
Ambient temperature	[°C]	-2080
Protection		IP 67

OE0007

Through-beam sensor receiver

Core colors :

white

screen

WH =

screen =



OEE-V/6M

Tests / approvals		
EMC		EN 60947-5-2
MTTF	[years]	49633
Mechanical data		
Housing		Threaded type
Dimensions	[mm]	M8 x 1
Thread designation		M8 x 1
Material		brass nickel-plated
Accessories		
Items supplied		lock nuts: 2
Remarks		
Pack quantity		1 pcs.
Electrical connection		
Cable: 6 m; 1 x 0.14 mm ²		
Connection		
		WH
		screen

ifm efector, inc. • 1100 Atwater Drive • Malvern • PA 19355 — We reserve the right to make technical alterations without prior notice. — EN-US — OE0007-00 — 28.01.2019 — 🗵